



# **LAND USE AND SPATIAL PLANNING AUTHORITY**

CORPORATE IDENTITY AND SIGNAGE SPECIFICATION

DECEMBER 2017



LOGO	01	Logo
	02	Colour Spectrum
	03	Adinkra Symbolism
	04	Letter Head Format
	05	Branding Main Facades Cars

EXTERIOR	06	Symbolism	Main Typical
	07	wayfinding	Secondary Typical Suspended
			Secondary Typical Freestanding
	08	Informative	Freestanding Wall / Door Mounted
			Painted Signwriting Room Names
	09	Disclaimers	Main Centre
			No Smoking
			Smoking Zones
			Fountain
	10	restrictions	Maxiumum Height
	11	safety	Fire / Escape

BASEMENT	12	basement parking	Informative
			Parking Level Columns
			Painted Signwriting
			Room Names / Numbers
			Parking Level Walls



**LAND USE AND  
SPATIAL PLANNING  
AUTHORITY**

# 01

## THE LOGO



## SYMBOLS AND THEIR MEANINGS

### **A ADINKRA (i.e. OSIADAN)**

The adinkra symbol used in the logo, **OSIADAN**, literally means "the builder".

### **B SKY**

The blue sky and clouds depicted behind the cityscape represent the environment and climatic conditions within which our buildings are situated.

### **C CITYSCAPE**


The cityscape represents the built environment. The different heights and shapes represent the different building types, land uses and corresponding spatial planning that goes into accommodating these buildings. The bridge in the background on the other hand is representative of the road infrastructure that interconnects our urban landscape.

### **D TREES AND GREENS**


The trees and greens represent the earth upon which buildings of different purposes and functions are planned for by the authority.

### **E EARTH, ROCK AND UNDERGROUND WATER**

The color gradient of green, brown and blue is a depiction of the geological make-up of the earth below us. The rocks, minerals, rock formations and underground water trapped below are also represented here, as they are important factors which determine the purpose and extent to which the earth above it can be used.




PANTONE 2755 C  
SHIELD ACRYLIC PAINT IT 160-4



PANTONE 290 C  
SHIELD ACRYLIC PAINT IT 75-7



PANTONE 7740 C  
SHIELD ACRYLIC PAINT IT 156-2



PANTONE 4645 C  
SHIELD ACRYLIC PAINT IT 164-3



## THE LOGO ( with full text)




# LAND USE AND SPATIAL PLANNING AUTHORITY

### FONT TYPE

I - Absolute Pro Reduced - Bold

II - Bebas Neueu - Bold



PANTONE 7688 C  
SHIELD ACRYLIC PAINT IT 74-5



PANTONE 663  
SHIELD ACRYLIC PAINT IT 35-3



PANTONE 7486 C  
SHIELD ACRYLIC PAINT IT 104-6



PANTONE 156 C  
SHIELD ACRYLIC PAINT IT 96-4



LAND USE AND  
SPATIAL PLANNING  
AUTHORITY



PANTONE 432 C  
SHIELD ACRYLIC PAINT IT 170-6



PANTONE 2755 C  
SHIELD ACRYLIC PAINT IT 160-4




PANTONE 7688 C  
SHIELD ACRYLIC PAINT IT 74-5



PANTONE 290 C  
SHIELD ACRYLIC PAINT IT 75-7



PANTONE 663  
SHIELD ACRYLIC PAINT IT 35-3



SHIELD ACRYLIC PAINT IT 130-T



PANTONE 7740 C  
SHIELD ACRYLIC PAINT IT 156-2



PANTONE 7486 C  
SHIELD ACRYLIC PAINT IT 104-6



PANTONE 4645 C  
SHIELD ACRYLIC PAINT IT 164-3



PANTONE 156 C  
SHIELD ACRYLIC PAINT IT 96-4


## COLOUR SPECTRUM

Colour is a powerful communicator and is key to basic education and understanding of environments. Colour is one of the most recognizable tools to distinguish between different elements.



# 03

## ADINKRA SYMBOLISM



OSIADAN translates "THE BUILDER"



The Adinkra symbol OSIADAN anchoring the crest

Adinkra symbols carry strong cultural significance and express various themes that relate to our history, philosophy and cultural beliefs.

The Adinkra symbol "**OSIADAN**" which translates 'the builder' is featured prominently in the logo design. The symbol is inferred in the logo as "**the one who develops**".

As seen in the image above, the **OSIADAN** symbol anchors both the left and right sides of the logo crest, thereby emphasising the critical role that the skill of ordered development plays in establishing the built environment within which we find ourselves.

With buildings forming the bulk of our living environs, the logo seeks to reiterate the crucial role of building and its proper regulation in creating congenial living within our cities.

LETTER HEAD  
FORMAT

A LUSPA LOGO

The LUSPA logo will be placed top and centre of the page. Below it is LUSPA fully-written, i.e. "Land Use and Spatial Planning Authority", on centre. The central position of both elements makes the format well-suited for official written correspondence.

FONT OF TEXT BELOW LOGO: Exo - Thin (8pt)

B WATERMARK

An enlarged but fairly faint image of the new logo will feature as the watermark on all official letter correspondences. It is centrally located on the page, as is the case with letter head formats that typically incorporate this feature.

C NAME OF DEPARTMENT

This item is located just above the horizontal line found at the bottom of the page. It identifies the specific office within LUSPA from which the letter is being sent.

D CONTACT INFORMATION

All contact information of the LUSPA has been placed at the bottom of the letterpage. This includes the mailing address, office (or physical) address; telephone numbers, email address and the URL to the LUSPA website.

FONT(S): Absolute Pro Reduced - Thin (8pt), and Absolute Pro Reduced - Book (8pt)



LAND USE AND  
SPATIAL PLANNING  
AUTHORITY

A4 Paper (8.27" x 11.69")



A

LAND USE AND SPATIAL PLANNING AUTHORITY

B

C

{NAME OF DEPARTMENT}

Mailing Address:  
P. O. Box M61, Accra

Office Address:  
Land Use and Spatial Planning Authority  
Head Office, Ministries Area


T +233 (0) 302 682 052  
+233 (0) 302 682 060  
+233 (0) 302 671 091

www.townplanning.gov.gh  
office@townplanning.gov.gh

D

# 05

## BRANDING



# LAND USE AND SPATIAL PLANNING AUTHORITY

Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.

## Materials And Specifications

### A Sprayed Aluminium Back Panel

Material:	2mm Aluminium
Finish:	Gloss 2k Automotive Spray
Colour:	Face: To match CI Branding Specification Refer to specified colour codes
Fixing:	Flush mounted to back of surface with pins

### B Glossy Vinyl Cutouts

Material:	Avery 700 White
Fixing:	Applied to front of back surface

### C Sprayed Aluminium Fabricated Face

Material:	2mm Aluminium
Finish:	Gloss 2K Automotive Spray
Colour:	To match CI Branding Specification Refer to specified colour codes
Fixing:	Fitted to face of fabricated box



### D Semi-Translucent Acrylic Fabricated Returns

Material:	5mm Perspex/Plexiglas
Colour:	To match Pantone 7486 C Refer to specified colour codes
Fixing:	50mm offset mounted from back surface


### E LED Striplights for Illumination through returns & back panel

Colour:	Cool White
Fixing:	On face, inside fabricated signage box for Halo illumination through returns and back panel


### F Stainless Steel Fixing Pins




PANTONE 2755 C  
SHIELD ACRYLIC PAINT IT 160-4



PANTONE 290 C  
SHIELD ACRYLIC PAINT IT 75-7



PANTONE 7740 C  
SHIELD ACRYLIC PAINT IT 156-2








PANTONE 4645 C  
SHIELD ACRYLIC PAINT IT 164-3



SCHEMATIC PRESENTATION

MAIN FACADES



PANTONE 7688 C  
SHIELD ACRYLIC PAINT IT 74-5

PANTONE 663  
SHIELD ACRYLIC PAINT IT 35-3




PANTONE 7486 C  
SHIELD ACRYLIC PAINT IT 104-6

PANTONE 156 C  
SHIELD ACRYLIC PAINT IT 96-4




LAND USE AND  
SPATIAL PLANNING  
AUTHORITY

CARS



4460mm / 175.6 in




05.04



PANTONE 2755 C  
SHIELD ACRYLIC PAINT IT 160-4

Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.





05.05

5040mm / 198.4 in



LAND USE AND  
SPATIAL PLANNING  
AUTHORITY

**06 - 11**

# Exterior

06	<b>Symbolism</b>	
07	<b>wayfinding</b>	Main Typical Secondary Typical Suspended Secondary Typical Freestanding
08	<b>informative</b>	Freestanding Wall / Door Mounted Painted Signwriting Room Names
09	<b>disclaimers</b>	Main Centre No Smoking Smoking Zones Fountain
10	<b>restrictions</b>	Maxiumum Height
11	<b>safety</b>	Fire / Escape

"No symbols where none intended."


- Samuel Beckett



Male WC




Female WC



Lifts



Mobility Impaired



STAIRS

Staircase




Bicycles




Motorcycles




No Smoking




Bullion Van



No Entry



Car Parking




Taxi Parking

## SYMBOLISM

Symbolism is the practice of presenting things by means of symbols or providing icons with a symbolic meaning or character. In using symbolism, one can communicate a universal/ visual language without the use of any words or description. This forms an important, yet easy way to guide people in the correct direction and becomes a strong element of wayfinding. In other applications it can also help people understand the purpose and functions of an organisation.

MAIN TYPICAL



Materials And Specifications

A Sprayed Aluminium Fabricated Face

Material: 2mm Aluminium  
 Finish: Gloss 2k Automotive Spray  
 Colour: Face: To match Pantone 2755 C  
 Refer to specified colour codes  
 Fixing: Fitted to face of fabricated box

B Semi-Translucent Acrylic Fabricated Returns

Material: 5mm Perspex/Plexiglas  
 Colour: To match Pantone 7486 C  
 Refer to specified colour codes  
 Fixing: 50mm offset mounted from back surface

C Sprayed Aluminium Fabricated Face

Material: 2mm Aluminium  
 Finish: Gloss 2K Automotive Spray  
 Colour: To match CI Branding Specification  
 Refer to specified colour codes  
 Fixing: Fitted to face of fabricated box

D Glossy Vinyl Cutouts

Material: Avery 700 White  
 Fixing: Applied to front of back surface

E Semi-translucent Acrylic Display Panel


Material: 5mm Clear Perspex  
 Fixing: Applied to front of back surface

F Digital Printed Store Allocation Inlay

G LED Striplights for Illumination through returns & back panel

Colour: Cool White  
 Fixing: Inside fabricated signage box for illumination through  
 returns and back panel

Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.




PANTONE 2755 C  
 SHIELD ACRYLIC PAINT IT 160-4




PANTONE 7486 C  
 SHIELD ACRYLIC PAINT IT 104-6




SCHEMATIC PRESENTATION



SECONDARY TYPICAL SUSPENDED



Schematic Presentation



PANTONE 2755 C  
SHIELD ACRYLIC PAINT IT 160-4



PANTONE 7486 C  
SHIELD ACRYLIC PAINT IT 104-6

Materials And Specifications

A Sprayed Aluminium Fabricated Cutouts

Material: 2mm Aluminium  
Finish: Gloss 2k Automotive Spray  
Colour: Face: To match Pantone 2755 C  
Inside: To match Pantone 7486 C  
Refer to specified colour codes  
Fixing: Fitted to bracket as per Architect's specification




B Gloss Reflective Vinyl Cutouts

Material: Avery T-1500 / T-1200 White  
Fixing: Applied to front of back surface

Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.



SCHEMATIC PRESENTATION



07.07.01



07.07.02



07.07.03



07.07.04



07.07.05



07.07.06



07.07.07





07.07.08




07.07.09



SECONDARY TYPICAL SUSPENDED



PANTONE 2755 C  
SHIELD ACRYLIC PAINT IT 160-4



PANTONE 290 C  
SHIELD ACRYLIC PAINT IT 75-7

Materials And Specifications

A Sprayed Aluminium Fabricated Cutouts


Material: 2mm Aluminium  
Finish: Gloss 2k Automotive Spray  
Colour: Face: To match Pantone 2755 C  
Inside: To match Pantone 290 C  
Refer to specified colour codes  
Fixing: Fitted to bracket as per Architect's specification

B Gloss Reflective Vinyl Cutouts


Material: Avery T-1500 / T-1200 White  
Fixing: Applied to front of back surface

Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.



SCHEMATIC PRESENTATION




SECONDARY TYPICAL FREESTANDING



Schematic Presentation



PANTONE 2755 C  
 SHIELD ACRYLIC PAINT IT 160-4



PANTONE 290 C  
 SHIELD ACRYLIC PAINT IT 75-7


Materials And Specifications

A Sprayed Aluminium Fabricated Cutouts

Material: 2mm Aluminium  
 Finish: Gloss 2k Automotive Spray  
 Colour: Face: To match Pantone 2755 C  
 Inside: To match Pantone 290 C  
 Refer to specified colour codes  
 Fixing: Fitted to bracket as per Architect's specification


B Gloss Reflective Vinyl Cutouts

Material: Avery T-1500 / T-1200 White  
 Fixing: Applied to front of back surface





Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.



SCHEMATIC PRESENTATION



07.09.A




07.09.B




07.09.C




FREESTANDING - PARKING AREAS



Schematic Presentation



PANTONE 2755 C  
SHIELD ACRYLIC PAINT IT 160-4



PANTONE 290 C  
SHIELD ACRYLIC PAINT IT 75-7

Materials And Specifications

A Sprayed Aluminium Fabricated Cutouts


Material: 2mm Aluminium  
Finish: Gloss 2k Automotive Spray  
Colour: Face: To match Pantone 7688 C  
Inside: To match Pantone 290 C  
Refer to specified colour codes  
Fixing: Fitted to bracket as per Architect's specification

B Gloss Reflective Vinyl Cutouts

Material: Avery T-1500 / T-1200 White  
Fixing: Applied to front of back surface

Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.

WALL / DOOR MOUNTED



Materials And Specifications

A Sprayed Aluminium Fabricated Face

Material: 2mm Aluminium  
Finish: Gloss 2K Automotive Spray  
Colour: To Match Pantone 2755 C  
Refer To Specified Colour Codes  
Fixing: Fitted To Face Of Fabricated Box

B Sprayed Aluminium Fabricated Returns

Material: 2mm Aluminium  
Finish: Gloss 2K Automotive Spray  
Colour: To Match Pantone 7486 C  
Refer To Specified Colour Codes  
Fixing: Secret Fixing To Back Surface

C Gloss Vinyl Cutouts

Material: Shield Acrylic Paint IT 130 - T  
Fixing: Applied To Front Of Back Of Surface  
Finish: Clear 2K Automotive Spray Coat To  
Prevent Vinyl Cutouts From Being  
Picked

D Sprayed Aluminium Cutouts

Material: 2mm Aluminium  
Finish: Gloss 2K Automotive Spray  
Colour: To Match Pantone 2755 C  
Refer To Specified Colour Codes  
Fixing: Flush Mounted To Back Surface

SCHEMATIC PRESENTATION



E Lettering Cut From Aluminium Back Surface




08.11.A



08.11.B



08.11.C






08.11.D


Note: All measurements to be taken on site prior to manufacturing and installation.  
Artwork in this document is only indicative and for tender purposes only.  
Refer to drawings for accurate dimensions for detailed costing.  
Refer to drawings for signage allocations and accurate quantities.



PAINTED SIGNWRITING - DELIVERY AREAS



PANTONE 2755 C  
 SHIELD ACRYLIC PAINT IT 160-4



SHIELD ACRYLIC PAINT IT 130-T

Materials And Specifications

A Painted Background

Material: Shield Acrylic Paint IT 160-4  
 Finish: Satin Sheen Velvagro

B Sprayed Aluminium Cutouts

Material: 2mm Aluminium  
 Finish: Gloss 2K Automotive Spray  
 Colour: To Match Shield Acrylic Paint IT 130-T  
 Refer To Specified Colour Codes  
 Fixing: 10mm Offset Mounted From Back  
 Surface On Pins



08.12.01    08.12.02    08.12.03    08.12.04



08.12.05    08.12.06    08.12.07    08.12.08    08.12.09    08.12.10


Note: All measurements to be taken on site prior to manufacturing and installation.  
 Artwork in this document is only indicative and for tender purposes only.  
 Refer to drawings for accurate dimensions for detailed costing.  
 Refer to drawings for signage allocations and accurate quantities.



ROOM NAMES / NUMBERS



SCHEMATIC PRESENTATION



Materials And Specifications

A Sprayed Aluminium Cutouts

Material: 2mm Aluminium  
Finish: Gloss 2K Automotive Spray  
Colour: To Match Pantone 2755 C  
Refer To Specified Colour Codes  
Fixing: 10mm Offset Mounted From Back Surface On Pins

B Gloss Vinyl Cutouts

Material: Shield Acrylic Paint IT 130 - T  
Fixing: Applied To Front Of Back Of Surface

Center Manager 08.13.A	Security Room 08.13.B	Plant Access 08.13.C	Refuse 08.13.D	LV Room 08.13.E
Bulk Diesel Tank 08.13.F	Telephone Data 1 08.13.G	Telephone Data 2 08.13.H	HT Room 08.13.I	Transformer Room 08.13.J

Note: All measurements to be taken on site prior to manufacturing and installation.  
Artwork in this document is only indicative and for tender purposes only.  
Refer to drawings for accurate dimensions for detailed costing.  
Refer to drawings for signage allocations and accurate quantities.



MAIN CENTRE - FREESTANDING

Materials And Specifications

A Sprayed Aluminium Fabricated Face

Material: 2mm Aluminium  
Finish: Gloss 2K Automotive Spray  
Colour: To Match Pantone 2755 C  
Refer To Specified Colour Codes  
Fixing: Fitted To Face Of Fabricated Box

B Sprayed Aluminium Fabricated Returns

Material: 2mm Aluminium  
Finish: Gloss 2K Automotive Spray  
Colour: To Match Pantone 290 C  
Refer To Specified Colour Codes  
Fixing: Secret Fixing To Back Surface

C Gloss Vinyl Cutouts

Material: Shield Acrylic Paint IT 130 - T  
Finish: Applied To Front Of Back Of Surface  
Clear 2K Automotive Spray Coat To Prevent Vinyl Cutouts From Being Picked


C

# DISCLAIMER



The owner, its employees, agents, servants and contractors do not accept or take any responsibility or liability for the safe custody of , or damages to any vehicle or articles therein, nor for any injuries or loss to any person and/or property, including but not limited to any negligent act, collision, fire, theft, rain, hail or any cause whatsoever.

The foregoing shall not limit or exempt any loss aforesaid attributable to gross negligence.


The terms of this notice is severable. Should any legislation restrict or prohibit the effect of this notice, such restriction or prohibition shall not invalidate the balance of this notice.




SCHEMATIC PRESENTATION



PANTONE 2755 C  
SHIELD ACRYLIC PAINT IT 160-4




PANTONE 290 C  
SHIELD ACRYLIC PAINT IT 75-7



Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only. Refer to drawings for accurate dimensions for detailed costing. Refer to drawings for signage allocations and accurate quantities.

MAIN CENTER | NO SMOKING | SMOKING ZONE- MOUNTED




Materials And Specifications

A Sprayed Aluminium Cutouts

- Material: 2mm Aluminium
- Finish: Gloss 2K Automotive Spray
- Colour: To Match Pantone 2755 C
- Refer To Specified Colour Codes
- Fixing: Flush Mounted to Back surface

B Gloss Vinyl Cutouts

- Material: Shield Acrylic Paint IT 130 - T
- Fixing: Applied To Front Of Back Of Surface
- Finish: Clear 2K automotive spray coat to prevent vinyl cutouts from being picked



Note: All measurements to be taken on site prior to manufacturing and installation.  
Artwork in this document is only indicative and for tender purposes only.  
Refer to drawings for accurate dimensions for detailed costing.  
Refer to drawings for signage allocations and accurate quantities.

MAXIMUM HEIGHT RESTRICTION



Materials And Specifications



A Gloss Painted Square Tube

- Material: 100x100 Mild Steel Square Tube
- Finish: Gloss 2K Automotive Spray
- Colour: To Match Pantone 7688 C  
Refer To Specified Colour Codes
- Fixing: Fitted as per Contractor's specification

B Gloss Reflective Vinyl Cutouts

- Material: Avery T-1500 / T - 1200 White
- Fixing: Applied to front of back surface

SCHEMATIC PRESENTATION




PANTONE 7688 C  
SHIELD ACRYLIC PAINT IT 74-5



PANTONE 432C  
SHIELD ACRYLIC PAINT IT 170-6

Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.

FIRE /ESCAPE -SUSPENDED & WALL MOUNTED




Materials And Specifications

A Sprayed Aluminium Cutouts

- Material: 2mm Aluminium
- Finish: Gloss 2K Automotive Spray
- Colour: To Match Pantone 432 C  
Refer To Specified Colour Codes
- Fixing: As per allocation needs

B Standard Photoluminescent Symbols

- Material: 190x190 Symbols
- Fixing: Applied to front of back surface



Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.



FIRE/SAFETY

Materials And Specifications

A Sprayed Aluminium Cutouts

- Material: 2mm Aluminium
- Finish: Gloss 2K Automotive Spray
- Colour: To Match Pantone 432 C  
Refer To Specified Colour Codes
- Fixing: As per allocation needs

B Standard Photoluminescent Symbols

- Material: 190x190 Symbols
- Fixing: Applied to front of back surface





11.22




PANTONE 432 C  
SHIELD ACRYLIC PAINT IT 170-6

Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only.



11.23



11.24

12




# Basement Parking


informative

Parking Level Columns  
Painted Signwriting  
Room Names / Numbers  
Parking Level Walls


PARKING LEVEL WALLS



SCHEMATIC PRESENTATION



PANTONE 7688 C  
SHIELD ACRYLIC PAINT IT 74-5



SHIELD ACRYLIC PAINT IT 130-T

**Materials And Specifications**

**A Painted Background**

Material: Shield Acrylic Paint IT 74 - 5  
Finish: Satin Sheen Velvagro

**B Painted Signwriting/ Symbolism**


Material: Shield Acrylic Paint IT 130 - T  
Finish: High Gloss Finish

Note: All measurements to be taken on site prior to manufacturing and installation. Artwork in this document is only indicative and for tender purposes only. Refer to drawings for accurate dimensions for detailed costing. Refer to drawings for signage allocations and accurate quantities.

ROOM NAMES / NUMBERS



SCHEMATIC PRESENTATION





Materials And Specifications

A Sprayed Aluminium Cutouts

Material:	2mm Aluminium
Finish:	Gloss 2K Automotive Spray
Colour:	To Match Pantone 7688 C Refer To Specified Colour Codes
Fixing:	10mm Offset Mounted From Back Surface On Pins

B Gloss Vinyl Cutouts


Material:	Shield Acrylic Paint IT 130 - T
Fixing:	Applied To Front Of Back Of Surface




Note: All measurements to be taken on site prior to manufacturing and installation.  
Artwork in this document is only indicative and for tender purposes only.  
Refer to drawings for accurate dimensions for detailed costing.  
Refer to drawings for signage allocations and accurate quantities.



PARKING LEVEL COLUMNS PAINTED SIGNWRITING



SCHEMATIC PRESENTATION



**Materials And Specifications**

**A Painted Background**

Material:	Shield Acrylic Paint IT 74 - 5
Finish:	Satin Sheen Velvagro

**B Sprayed Aluminium Cutouts**


Material:	2mm Aluminium
Finish:	Gloss 2K Automotive Spray
Colour:	To Match Shield Acrylic Paint IT 130-T Refer To Specified Colour Codes
Fixing:	10mm Offset Mounted From Back Surface On Pins

**C Painted Background**


Material:	Shield Acrylic Paint IT 160-4
Finish:	Satin Sheen Velvagro

**D Sprayed Aluminium Cutouts**


Material:	2mm Aluminium
Finish:	Gloss 2K Automotive Spray
Colour:	To Match Shield Acrylic Paint IT 130-T Refer To Specified Colour Codes
Fixing:	10mm Offset Mounted From Back Surface On Pins



PANTONE 7688 C  
SHIELD ACRYLIC PAINT IT 74-5



PANTONE 2755 C  
SHIELD ACRYLIC PAINT IT 160-4



SHIELD ACRYLIC PAINT IT 130-T



12.27.A




12.27.B



12.27.C



12.27.D



Note: All measurements to be taken on site prior to manufacturing and installation.  
Artwork in this document is only indicative and for tender purposes only.  
Refer to drawings for accurate dimensions for detailed costing.  
Refer to drawings for signage allocations and accurate quantities.





Multicad Consulting

P.O. BOX 14310, ACCRA, GHANA

TEL: +233(0)302503201

MAIL: MAIL@MULTICADONLINE.COM

**WWW . MULTICADONLINE . COM**

Presentation brochure by Multicad Consulting 2017 ®

All rights reserved.

No part of this book may be reproduced, stored in a retrieval system, or transmitted in any form or by means, without prior written consent from Multicad Consulting. The developer reserves the right to add, remove or replace information at a stage without further notice. The reference to names on information is for illustration purposes only.